

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: 86307658.4

(22) Date of filing: 03.10.86

(51) Int. Cl.⁴: **C 08 B 37/00**
A 01 N 25/12
//A01N43/14, A01N43/90

(30) Priority: 08.10.85 US 785624

(43) Date of publication of application:
22.04.87 Bulletin 87/17

(64) Designated Contracting States:
AT BE CH DE FR GB IT LI LU NL SE

(71) Applicant: **MERCK & CO. INC.**
126, East Lincoln Avenue P.O. Box 2000
Rahway New Jersey 07065(US)

(72) Inventor: **Colegrove, George T.**
5238 Fontaine Street
San Diego California 92120(US)

(72) Inventor: **Lindroth, Thomas A.**
10810 Vista Del Sur
Spring Valley California 92078(US)

(74) Representative: **Crampton, Keith John Allen et al,**
D YOUNG & CO 10 Staple Inn
London WC1V 7RD(GB)

(54) **Low viscosity heteropolysaccharides.**

(57) Low-viscosity heteropolysaccharides, viz. xanthan gum and S-194 of viscosity 15 to 100 mPa.s and guar gum of viscosity 15 to 100 mPa.s, the viscosities being measured in 5 wt % aqueous solution on a Brookfield LVT viscometer at 25°C, spindle 2,60 rpm, are novel. They are made by heating a xanthan gum, S-194, or guar gum solution at 48° to 83°C in the presence of 0.05 to 0.25% EDTA, 0.01 to 0.1% ferrous sulfate, and 2-6% hydrogen peroxide. These gums are especially useful in preparing herbicidal compositions and form novel complexes with herbicidal bipyridinium salt by mixing under aqueous conditions and drying.

- 1 -

LOW VISCOSITY HETEROPOLYSACCHARIDES

5 The use of heteropolysaccharides as viscosi-
fying agents in many food and industrial applications
is well known. Typically, these agents are used
because of their ability to thicken aqueous solutions
at relatively low concentrations. Xanthan gum (a
10 biopolymer produced by aerobic fermentation in a
nutrient medium of the organism X. campestris), S-194
(a biopolymer produced by aerobic fermentations in a
nutrient medium of the Alcaligenes organism ATCC
31961, described in U.S.P. 4,401,760), and guar gum
15 (an extract of the seed of the guar plant, Cyanopsis
tetragonolobus, family Leguminosae) are three such

20

known polysaccharides. These gums are known in various forms. For example, guar gum derivatives include oxidized guar, carboxymethylated guar, hydroxyalkylated guar, etc. Xanthan gums of
5 different pyruvate levels (EP 66,961) and calcium levels (e.g., U.S.P. 4,375,512, Richmon) are known. Xanthan gums of altered rheology have also been described. For example, U.S.P. 4,299,825 teaches a
10 "low viscosity" xanthan gum having an 8-15 wt.% viscosity of 10,000-20,000 cP.

Bipyridinium (also known as bipyridylum) quaternary salts such as those of U.S.P. 4,118,218 are useful herbicidal compounds. Of these, paraquat (1,1'-dimethyl-4,4'-bipyridinium dichloride) and
15 diquat (6,7-dihydrodipyrido (1,2-a; 2'.1'-c) pyrazinedium dibromide) are the most commonly used. These compounds are typically sold commercially as aqueous compositions. Attempts at preparing free flowing wettable powder formulations of these salts
20 have not proved successful. UK 2,100,603 describes wettable powder compositions using powdered calcium silicate as a carrier. J5 6152-401 (Asahi Chemical) describes powdered compositions comprising inorganic sulphate salts of sodium, magnesium, etc. and
25 anti-caking compounds such as white carbon, borax, silica gel, etc. U.S.P. 4,118,218, which is incorporated herein by reference, describes a process for preparing granular herbicidal compositions which comprises depositing an aqueous solution of the
30 bipyridinium quaternary salts on inert carriers, preferably calcium or sodium chloride. This patent also refers to various Japanese and U.K. patent applications which teach solid herbicidal composi-

4127P/0831A

- 3 -

K-2082Y

tions. None of these compositions has been commercially successful. Generally, the prior art compounds have not been sufficiently concentrated in active ingredients, have not hydrated properly, or
5 have not prevented crystallization of the active ingredient, thus posing a potential hazard to handlers of the dry powders. Crystallization occurs on drying of aqueous solutions of the herbicidal bipyridinium salts. Crystals also appear in the dry
10 compositions of these salts.

SUMMARY OF THE INVENTION

Very low viscosity heteropolysaccharides have now been prepared. They are useful in preparing
15 highly concentrated solid bipyridinium salt herbicidal compositions. The compositions exhibit no surface crystallization. Additionally, these low viscosity heteropolysaccharides are useful in other industrial and agricultural applications.

20

DETAILED DESCRIPTION

The low viscosity polysaccharides of this invention are low viscosity xanthan gum, low viscosity S-194, and low viscosity guar. By low
25 viscosity xanthan gum or S-194 is meant a gum having a viscosity of 15-300 cP (5% (wt.) solution as measured on a Brookfield LVT Viscometer at 25°C, 60 rpm, spindle no. 2). Preferably, the viscosity is 200-300 cP. By low viscosity guar is meant a guar
30 gum having a viscosity of 15-100 cP, at 5% (wt.) solution, measured as above. Preferably, the viscosity is 50-100 cP.

The low viscosity polysaccharides can be prepared by various means. One process uses hydrogen peroxide in a formulation similar to Fenton's Reagent. The formulation contains 0.15-0.25%
5 H_2O_2 , 0.05% $FeSO_4$ and 0.10% EDTA ethylene-dinitrilo tetraacetic acid tetrasodium salt. Using this formulation a 10% clarified guar paste can be degraded from a viscosity of greater than 10,000 cP, spindle 4 at 60 rpm, to about 150 cP in 15 minutes at
10 60°C. A 4% xanthan gum solution can be degraded from 5000 cP to 20 cP in 30 minutes at 60°C. Degradation rate is proportional to peroxide concentration and temperature. The amount of peroxide required increases with gum impurity.

15 Guar can also be degraded using enzymes. For example, 0.1% hemicellulase at pH 5.0 degrades a 10% guar dispersion from greater than 10,000 cP to 280 cP at 50°C in 48 hours. An alternative enzyme is galactomannase. Hemicellulases and galactomannases
20 are commercially available.

Following degradation the low viscosity polysaccharides are recovered from solution by precipitation with 2-3 volumes of isopropanol, followed by drying and milling.

25 The low viscosity polysaccharides of this invention are useful in a variety of industrial and agricultural applications. Such uses include textile printing and dyeing, especially in foamed dye or ink formulations, especially as anti-migrant agents;
30 paper printing, especially foamed ink formulations; petroleum operations, including oil well drilling muds; lithography, as in lithographic fountain

solutions, especially as gum arabic replacers; detergents; microencapsulation; inks, especially as stabilizers for water-based inks; ceramics; protective colloids; agricultural foam markers; fire fighting foams, including fluoro- and non-fluoro-based proteins and non-protein agents; coatings, especially as suspending agents for high-solids paper coatings; emulsions, as stabilizers; latex adhesives, as viscosifiers; binders for the agglomeration of powders; binders for water soluble pesticides; mortars and cements, as moisture control agents; wall materials in complex coacervation microencapsulation; and dispersants for raw mineral slurries.

In some applications, as when the degraded polysaccharides are to be complexed to form the herbicidal compositions of this invention, initial recovery of the degraded gum can be eliminated and further processing such as complex-formation can be performed in situ. Thus, another aspect of this invention is an aqueous solution comprising low viscosity heteropolysaccharides. More specifically, broken fermentation broth is a useful aqueous solution of xanthan gum or S-194.

The compositions of this invention include solid, herbicidal bipyridinium quaternary salt/polysaccharide complexes comprising 14-55% (wt.) bipyridinium salt, calculated as cation. The polysaccharide is xanthan, S-194, or guar or a blend thereof of low viscosity. The bipyridinium salt is preferably one of:

1,1'-ethylene-2,2'-bipyridylium dibromide,
1,1'-dimethyl-4,4'-bipyridylium dichloride,

4127P/0831A

- 6 -

K-2082Y

- 1,1'-di-2-hydroxyethyl-4,4'-bipyridylum
dichloride,
1,1'-bis-3,5-dimethylmorpholinocarbonyl-
methyl-4,4'-bipyridylum dichloride
5 1-(2-hydroxyethyl)-1'-methyl-4,4'-
bipyridylum dichloride,
1,1'-di-carbamoylmethyl-4,4'-bipyridylum
dichloride,
1,1'-bis-N,N-dimethylcarbamoylmethyl-4,4'-
10 bipyridylum dichloride,
1,1'-bis-N,N-diethylcarbamoylmethyl-4,4'-
bipyridylum dichloride,
1,1-di-(piperidinocarbonylmethyl)-4,4'-
bipyridylum dichloride,
15 1,1'-diacetyl-4,4'-bipyridylum dichloride,
1,1'-diethoxycarbonylmethyl-4,4'-bipyridylum
dibromide, or
1,1'-diallyl-4,4'-bipyridylum dibromide.

Of these 1,1'-ethylene-2,2'-bipyridylum dibromide
20 and 1,1'-4,4'-dimethyl-bipyridylum dichloride are
especially preferred.

The complexes of this invention are prepared
by reacting the bipyridinium salts with the poly-
saccharide. In this invention, when very rapid
25 hydration is desired, very low viscosity poly-
saccharide is preferred. When a slower hydration
rate is desired, a higher viscosity polysaccharide
may be used. The complexes are formed by mixing the
bipyridinium salts and the polysaccharide and
30 neutralizing the mixture. Several methods can be
used; for example, pan agglomeration; drum drying,

oven drying, or spray drying polysaccharide solutions; fluid bed dryer agglomeration; precipitation by a nonsolvent of a bipyridinium/polysaccharide solution; and extrusion. Conveniently, 5 neutralization is accomplished by introducing an alkali to the polysaccharide/bipyridinium salt mixture and then measuring and adjusting pH as necessary. Alternatively, a predetermined amount of alkali can be present in the polysaccharide or 10 bipyridinium salt prior to mixing. Useful alkalis include ammonia, ammonium hydroxide, sodium hydroxide, and potassium hydroxide. These processes are described in greater detail below. Variations such as droplet size, drying temperature and time, 15 concentration of ingredients, etc. are within the scope of this invention.

Pan Agglomeration

Powdered polysaccharide is placed in a pan 20 agglomerator which produces a flowing bed of dry polysaccharide. A solution of bipyridinium salts is then sprayed onto the moving polysaccharide bed causing agglomeration of the polysaccharide powder into granules. The spray is produced through a 25 nozzle which produces about a 500 micron droplet size. When all the polysaccharide has been agglomerated and all the bipyridinium salt solution is added, the agglomeration is then ammoniated with ammonia gas to a pH of 7.0 to 8.0, when measured on 30 the damp granules. The complex granules are dried in a fluid bed dryer at an inlet temperature of 120°C for 10 minutes. This produces a free flowing

4127P/0831A

- 8 -

K-2082Y

granular product containing a high concentration of active herbicide. A commercially available apparatus for this process is the Ferrotech Pan Agglomerator, model FC 016-02 (Ferrotech Co., Wyandotte, Mich.).

5

Drum Drying

The polysaccharide is mixed with the bipyridinium salt solution for ten minutes. This mixture is then ammoniated with either ammonia gas or
10 28% ammonium hydroxide solution. This produces a viscous, almost paste-like, liquid. After 15 minutes of additional mixing the complex is ready to be drum dried by conventional means.

15 Oven Drying/Spray Drying

When there is a greater amount of water in the system, instead of drum drying the complex can be dried in an oven or in conventional spray drying equipment.

20

Prilling

The polysaccharide is mixed with the bipyridinium salt solution for 10 minutes. This mixture is then ammoniated with either ammonia gas or
25 28% ammonium hydroxide solution. The complex is then heated slowly to 130°C driving off 34% by weight of water. This hot condensed liquid complex is then dripped into a cold (5°C) non-solvent fluid causing the complex to solidify into hard beads. The
30 non-solvent is then removed through evaporation.

Extrusion

The polysaccharide is added to a bipyridium salt solution and mixed until the polysaccharide is dispersed. The mixture is then ammoniated under agitation with ammonia gas or ammonium hydroxide solution and then heated to 70°C. Mixing is continued for 30 minutes and then the hot mixture is transferred to an extruder where it is allowed to cool to ambient temperature. This forms the complex which may then be extruded to form either beads or strands of the complex.

Using these processes, complexes can be prepared with high concentrations of bipyridinium salts (14-55%, calculated as cation). Advantageously, when very low viscosity polysaccharide is used these complexes are easily soluble in water. Where rapid solubility is not necessary, higher viscosity polysaccharide can be used. The dissolved complexes can be used with commercial spraying equipment.

These complexes may also be formulated as solid herbicidal compositions of 5-55% concentration (calculated as cation) by the use of diluents which are very soluble in cold or hot water and which are essentially non-reactive with the bipyridinium salt. These diluents include the mono- and di-pentoses and hexoses such as glucose, fructose, arabinose, mannose, gulose, ribose, xylose, maltose, lactose, and sucrose and inorganic salts such as NaCl, KCl, K_2HPO_4 , K_2HSO_4 , NH_4Cl , NH_4NO_3 , $(NH_4)_2SO_4$, $MgSO_4$, and $MgCl_2$. The diluents may be added

4127P/0831A

- 10 -

K-2082Y

before or after complex formation and before or after the complex is dried. Preferably, the diluents are added after complex formation and before drying.

5 The advantageous properties of the poly-saccharide/bipyridinium complexes of this invention are not exhibited in other blends or complexes. Combinations with the following ingredients have been tested with paraquat.

10

Results

1. Starch Graft Copolymers
(U.S.P. 3,935,099)

Paraquat was absorbed but about 10% was permanently bound to the polymers, thus diminishing the herbicidal effect.

15

2. Microcrystalline
20 cellulose (Avicel 101)

Did not swell and imbibe the paraquat.

3. Diatomaceous earth

Did not absorb paraquat.

25

4. Cold water soluble
tamarind gum
(EP 11,951)

Paraquat was absorbed but crystallized on the particle surfaces.

30

5. Polyacrylate solids
(from Acrysol/RM-4)

Permitted crystal growth.

- 5 6. Sodium lignosulfonate Reacted with
paraquat but formed
insoluble
precipitate.
- 10 7. Carboxymethyl cellulose Absorbed the para-
 (Drispac Super Low) quat but crystals
formed on surface.
- 15 8. Gum arabic Permitted crystal
growth and produced
slow solubility
rates.

15 The complexes of this invention advanta-
geously do not produce a floc when redissolved, for
example, in hard water. As flocculation or
particulate matter could potentially plug spray
20 nozzles, the use of a clarified xanthan or guar is
preferred. Clarification procedures such as enzyme
treatment, filtration, etc. are well known for the
production of heteropolysaccharides. Clarified
products are also commercially available; for
25 example, KELTROL[®] T, a clarified xanthan gum.

30 The herbicidal use of the bipyridinium salts
are well known in the art. The solid complexes of
the present invention, when dissolved, are usable as
herbicides in the amounts, combinations, apparatuses,
30 methods, etc. already well known to users of
bipyridinium salts.

The invention is further defined by reference to the following preparations and examples, which are intended to be illustrative and not limiting. All viscosities were measured on a Brookfield LVT viscometer at 25°C.

EXAMPLE 1

Preparation from Xanthan Fermentation Broth

A. Low-viscosity xanthan gum

One hundred gallons (378.5 L) of xanthan gum fermentation broth containing approximately 4% xanthan gum having a viscosity of 6,000 cP, spindle 4, 60 rpm, was treated with proteolytic enzyme to partially clarify the solution. Based on weight of gum in the broth, 0.05% lysozyme was added to the broth and reacted for two hours. Then 0.5% HT Proteolytic 200 (Miles Labs) was added and reacted for four hours.

The fermentate was then heated to 140°F (60°C) and 0.05% ferrous sulfate plus 0.10% tetrasodium EDTA was added as a solution. 3.2 L of 11.67% hydrogen peroxide were then added in three portions over a period of two hours. The viscosity dropped to only 80 cP, spindle 2, 60 rpm, at which point the fermentate was cooled to 80°F (26.6°C) and neutralized to pH 7.5 using dilute potassium hydroxide. The xanthan gum was then precipitated with isopropanol, dried, and milled through 80 mesh.

B. Bipyridinium complex

A dry paraquat complex was prepared from the preceding xanthan gum using the following formulation:

89.0% Paraquat 3S solution (Chevron Chemical)

8.9% low viscosity xanthan gum

1.1% 28% ammonium hydroxide

The xanthan gum was dissolved in the
5 paraquat solution followed by the ammonium hydroxide.
After mixing 30 minutes the liquid product was drum
dried then milled and sized through 12 mesh on 30
mesh. The dry paraquat so produced was free flowing,
contained 50% paraquat cation, and 0.50 g dissolved
10 in 250 ml of 342 ppm hard water in less than one
minute. In 250 ml water of 500 ppm hardness the
solubility rate was only 70 seconds when used at a
typical field use level of 0.1% paraquat cation. At
aerial application rates of 1.0% paraquat cation the
15 product dissolved in 250 ml of 500 ppm hard water in
90 seconds. No flocs were observed in any of these
solutions.

EXAMPLE 2

Preparation from Dry Xanthan Gum

0.05% ferrous sulfate plus 0.10% Na₄EDTA
were dissolved in water followed by 5.0% enzyme
clarified xanthan gum from Example 1(A) and 0.15%
hydrogen peroxide. The solution was heated for 75
25 minutes at 75°C, at which time the viscosity dropped
from 7500 cP, spindle 4, 60 rpm, to only 35 cP,
spindle 1, 60 rpm. The solution was cooled,
precipitated with isopropanol, dried, and milled
through 80 mesh.

30 Production of the solid paraquat complex was
performed as in Example 1(B). The complex dissolved
in 250 ml of 342 ppm hard water in only 45 seconds at

4127P/0831A

- 14 -

K-2082Y

field use levels and in 250 ml of 500 ppm water in only two minutes at aerial use levels. No flocs were observed.

5

EXAMPLE 3Preparation from Clarified Guar Gum

0.05% ferrous sulfate, 0.10% Na₄EDTA, and 0.20% hydrogen peroxide were dissolved in water in a water jacketed blender. Clarified guar gum (produced by cold filtration of a 0.3% solution through diatomaceous earth and precipitated with IPA) was slowly added as a dry powder to a final concentration of 10% gum. The temperature was maintained at 60°C and the viscosity dropped from greater than 10,000 cP, spindle 4, 60 rpm, to 150 cP, spindle 2, 60 rpm, after only 15 minutes. After cooling the guar was precipitated with isopropanol, dried and milled through 40 mesh.

A dry paraquat complex from the degraded guar was then produced as in Example 1(B). The complex dissolved readily in 250 ml of 342 ppm hard water in two minutes ten seconds without floc formation.

25

EXAMPLE 4Preparation from a Clarified Xanthan Gum/Clarified Guar Gum Blend

Thirty grams of a 1:1 blend of dry clarified xanthan gum and dry clarified guar from Examples 1 and 3 were added to 560 g hot water at 70°C containing 0.4 g EDTA plus 0.1 g ferrous sulfate. Twenty-five grams of 3% hydrogen peroxide solution

4127P/0831A

- 15 -

K-2082Y

were then added in portions over a period of forty-five minutes. After 60 minutes the viscosity dropped from greater than 10,000 cP, spindle 4, 60 rpm, to only 85 cP, spindle 2, 60 rpm, at which point the gums were precipitated with isopropanol, dried, and milled through 80 mesh.

A dry paraquat complex was prepared from this blend as in Example 1(B). The dry paraquat dissolved in 250 ml of 342 ppm hard water in only 44 seconds at field use level and dissolved in 68 seconds at a level corresponding to aerial applications. The solutions contained no floc even after standing 24 hours. The blend performed as well as either gum separately. Since both products are effective, blends of the two gums in any ratio are possible.

EXAMPLE 5

Gum Viscosity vs. Solubility

The viscosity of the gum is important in determining the solubility rate of the paraquat complex. Table 5-1 shows this effect. Xanthan gum from fermentation broth was degraded as in Example 1 to various viscosity levels and the paraquat complex prepared. The solubility of the complex was then determined in 250 ml water containing 342 ppm hardness.

4127P/0831A

- 16 -

K-2082Y

Table 5-1

	<u>Sample</u>	<u>5% Viscosity</u>	<u>Paraquat Complex Solubility Time</u>
	1	35 cP	43 sec.
5	2	80 cP	45 sec.
	3	140 cP	68 sec.
	4	290 cP	173 sec.

10

EXAMPLE 6Ultrafiltered Low Viscosity Xanthan BrothA. Low viscosity gum

15 The viscosity of a 4% xanthan gum beer was broken using the metal catalyzed hydrogen peroxide reaction of Example 1(A). The gum from the broken beer was precipitated and dried. It was then reconstituted in water to 5% and showed a viscosity of 110 cP, spindle 2, 60 rpm.

20 The broken broth was then ultrafiltered under pressure using a membrane with a molecular weight cut-off of 18,000 and recirculated until a 30% solids solution was achieved. The viscosity of the concentrated broth was 2000 cP, spindle 4, 60 rpm, and a pH of 5.0.

25

B. Paraquat Complex Formulation in a 1:10 Ratio

A dry paraquat complex was prepared from the preceding xanthan gum using the following formulation:

30	75.2%	Paraquat 3S Solution
	23.9%	Broth (concentrated)
	0.9%	28% NH ₄ OH Solution

4127P/0831A

- 17 -

K-2082Y

5 All three materials were mixed together and stirred for 5 minutes. The mixture was then drum dried at 235°F (112.7°C) surface temperature, milled and sized through 12 mesh on 30 mesh. The dry complex showed no crystals.

0.50 g of complex dissolved in 250 ml of 342 ppm hardness water in 64 seconds. 5.0 g dissolved in 250 ml of 500 ppm hardness water in 71 seconds.

10

EXAMPLE 7

Herbicidal Application

15 Paraquat 3S (calculated at 1.7 mg cation) was sprayed onto 0.75 sq. ft. of St. Augustine grass. In like manner a xanthan/paraquat complex (calculated at 1.7 mg cation), as prepared in Example 1, was sprayed on an identical area of the same grass. After three days' exposure to sunlight, the grass in both areas was brown and dying, thus demonstrating the retained herbicidal activity of the complex.

20

EXAMPLE 8

Prilling

25 Production of the solid paraquat complex was performed as in Example 1(B) except the liquid complex was heated to 130°C, condensed and prilled in a non-solvent fluid (Cyclosol 52, Shell Chemical). The non-solvent was then evaporated in a fluid bed drier at 120°F (48.9°C) for 10 minutes. The bead size produced was through 4 mesh on 12 mesh screen.

30 The complex dissolved in 250 ml of 342 PPM hard water

4127P/0831A

- 18 -

K-2082Y

in 90 seconds at field use levels. No free crystals were observed on the surface of the beads. No flocs were observed in the field use level solution.

5

EXAMPLE 9ExtrusionFormulation:% (wt.)

	Diquat HA (29.1% solution)	87.9
10	Low Visc. Xanthan	11.0
	NH ₄ OH (30% solution)	1.1

Procedure:

15 With good agitation the xanthan gum was mixed into the diquat liquid till dispersed. Then aqueous ammonia was added and mixed well. This mixture was heated with agitation to 70°C. Mixing was continued for 30 minutes and then the hot mixture was transferred to an extruder and cooled down to ambient temperature to form a complex which was then extruded into mesh beads and 1" strands. The complex was extruded onto a non-stick surface and dried to 10-12% moisture level.

25 Test Data:10 MESH BEADS1" STRANDS

Solubility Rate

65 sec.

47 sec.

Appearance

no crystals

no crystals

Dusting

trace

trace

30

4127P/0831A

- 19 -

K-2082Y

EXAMPLE 10Preparation from S-194

A hot 5% S-194 solution at 60°C containing 0.05% FeSO₄ and 0.15% EDTA was prepared in a Waring
5 blender, to which 3.0% hydrogen peroxide by weight of S-194 was added. The solution was held at 60°C for 60 minutes by which time the viscosity dropped from greater than 10,000 cP, Brookfield LVT, sp. 4, 60 rpm to only 80cP, spin. 1, 60 rpm. The solution was then
10 cooled, precipitated in isopropanol, dried, and milled.

The production of the solid paraquat complex was performed as in Example 1(B). The S-194 complex dissolved in 342 ppm hard water in 297 seconds and
15 showed no free paraquat crystals.

EXAMPLE 11Dry Flowable Arbotect®

The fungicide Arbotect® 20S (26.6%
20 solids 2-(4-thiazoyl)benzimidazole hypophosphite solution) was converted to a 80% dry water soluble product using low viscosity xanthan gum.

Formulation:

25 188.0 g Arbotect 20S
8.3 g Low visc. xanthan gum (90% solids)

Procedure:

The two materials were mixed for two hours.
30 This mixture was then drum dried to 8.0% moisture, milled, and sized through 12 on 20 mesh.

Registered Trademark, Merck & Co., Inc.

4127P/0831A

- 20 -

K-2082Y

Testing:

One gram of dry product was added to 100 ml water of 342 ppm hardness with mild agitation.

5

Solubility rate: 198 sec.;

Wetting: excellent;

Insolubles: none;

Appearance: very slightly turbid.

10

EXAMPLE 12Xanthan Gum in Pesticides - Pan Agglomeration

Low viscosity xanthan gum was used as a binder system for dry flowable sulfur and thiabendazole formulations.

15

	Formulation I	Formulation II
	<u>Sulfur</u>	<u>TBZ</u>
20	90.0% Sulfur Powder	91.0% TBZ Powder
	2.0% Morwet EFW, surfactant, wetting agent.	1.0% Morwet EFW
25	1.0% Tamol SN, dispersant, surface active ingredient	1.0% Tamol SN
	2.0% Morwet D-425, dispersant, surface active ingredient	2.0% Morwet D-425
30	<u>5.0%</u> Xanthan	<u>5.0%</u> Xanthan
	100.0% Total	100.0% Total

4127P/0831A

- 21 -

K-2082Y

Procedure:

The dry materials were blended until uniform and the mixture then pan agglomerated using water spray to promote the rolling and sticking of the powder into beads. The beads were dried at 70°C, 30 minutes in a fluid bed drier. The dry granules were sized through 12 on 28 mesh.

10 Results:

	<u>Formulation I</u>	<u>Formulation II</u>
Disintegration Rate	93 Sec.	100 Sec.
Wetting Rate	65 Sec.	8 Sec.
Dusting Rate	4%	5%

15

EXAMPLE 13Ammonium Chloride Diluent

	<u>Formulation:</u>	<u>Wt.(g.)</u>
20	Paraquat-CL2 Solution (362 G/L cation)	319.4
	Low Visc. Xanthan	30.0
	NH ₄ OH (30% Solution)	2.0
	NH ₄ Cl	268.0

25 Procedure:

Under agitation, NH₄OH was added to the Paraquat solution and mixed well. Then the gum was added and agitated 10 minutes. Using high shear, mixing continued for 10 more minutes. The sample was heated to 75°C and then the NH₄Cl was added slowly with good agitation. The mixture was reheated to 75°C and held for 30 minutes, then drum dried at

4127P/0831A

- 22 -

K-2082Y

120° C surface temperature on the drum. The product was milled, sized and dried for testing.

This formulation yielded a 20% Paraquat cation dry system at 10% moisture.

5

Testing:

Appearance: Non-crystalline structure, tan in color, non-friable particles.

10 Solution Rate: In 300 ppm water a rate of 30 sec was achieved.

15

20

25

30

1. A low-viscosity heteropolysaccharide that is xanthan gum, S-194 or guar gum, characterised in that the viscosity is 15 to 300 mPa.s in the case of xanthan gum and S-194 and is 15 to 100 mPa.s in the case of guar gum, the viscosities being measured in 5 wt % aqueous solution on a Brookfield LVT viscometer at 25°C, spindle 2, 60 rpm.
2. A xanthan gum or S-194 as claimed in claim 1 in which the viscosity is 200 to 300 mPa.s.
3. A method of preparing a heteropolysaccharide as claimed in claim 1 that comprises heating a xanthan gum, S-194, or guar gum solution at 48°C to 83°C in the presence of 0.05 to 0.25% EDTA, 0.01 to 0.1% ferrous sulfate, and 2-6% hydrogen peroxide, the percentages being by weight based on the weight of heteropolysaccharide.
4. A solid, herbicidal bipyridinium quaternary salt/heteropolysaccharide complex comprising 14-55 wt % bipyridinium salt, calculated as cation.
5. A complex as claimed in claim 4 in which the bipyridinium salt is
 - 1,1'-ethylene-2,2'-bipyridylium dibromide,
 - 1,1'-dimethyl-4,4'-bipyridylium dichloride,
 - 1,1'-di-2-hydroxyethyl-4,4'-bipyridylium dichloride,
 - 1,1'-bis-3,5-dimethylmorpholinocarbonylmethyl-4,4'-bipyridylium dichloride
 - 1-(2-hydroxyethyl)-1'-methyl-4,4'-bipyridylium dichloride,
 - 1,1'-di-carbamoylmethyl-4,4'-bipyridylium dichloride,
 - 1,1'-bis-N,N-dimethylcarbamoylmethyl-4,4'-bipyridylium dichloride,
 - 1,1'-bis-N,N-diethylcarbamoylmethyl-4,4'-bipyridylium dichloride,

- 1,1-di-(piperidinocarbonylmethyl)-4,4'-
bipyridylum dichloride,
1,1'-diacetyl-4,4'-bipyridylum dichloride,
1,1'-diethoxycarbonylmethyl-4,4'-bipyridylum
5 dibromide, or
1,1'-diallyl-4,4'-bipyridylum dibromide.
6. A complex as claimed in claim 4 or 5 in which the heteropolysaccharide is xanthan gum and has a 5% solution viscosity of 200-300 mPa.s.
- 10 7. A composition comprising a complex as claimed in claim 4, 5, or 6 together with one or more di-pentoses and/or hexoses and/or inorganic salts as diluent.
- 15 8. A method of preparing a complex as claimed in claim 4, 5 or 6 that comprises mixing and neutralizing a heteropolysaccharide as claimed in claim 1 or 2 with a bipyridinium salt under aqueous conditions to form a complex and drying the complex.
- 20 9. A process as claimed in claim 8 in which the drying is drum drying, oven drying, prilling, spray drying or extrusion.
10. A process as claimed in claim 8 or 9 in which the heteropolysaccharide and bipyridinium salt are pan agglomerated to form a mixture, which is neutralized with ammonia.



Europäisches Patentamt
European Patent Office
Office européen des brevets

(11) Publication number:

**0 219 281
A3**

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: 86307658.4

(22) Date of filing: 03.10.86

(51) Int. Cl.³: **C 08 B 37/00**
A 01 N 25/12
//A01N43/14, A01N43/90

(30) Priority: 08.10.85 US 785624

(43) Date of publication of application:
22.04.87 Bulletin 87/17

(88) Date of deferred publication of search report: 13.01.88

(84) Designated Contracting States:
AT BE CH DE FR GB IT LI LU NL SE

(71) Applicant: **MERCK & CO. INC.**
126, East Lincoln Avenue P.O. Box 2000
Rahway New Jersey 07065-0900(US)

(72) Inventor: **Colegrove, George T.**
5238 Fontaine Street
San Diego California 92120(US)

(72) Inventor: **Lindroth, Thomas A.**
10810 Vista Del Sur
Spring Valley California 92078(US)

(74) Representative: **Crampton, Keith John Allen et al,**
D YOUNG & CO 10 Staple Inn
London WC1V 7RD(GB)

(54) **Low viscosity heteropolysaccharides.**

(57) Low-viscosity heteropolysaccharides, viz. xanthan gum and S-194 of viscosity 15 to 100 mPa.s and guar gum of viscosity 15 to 100 mPa.s, the viscosities being measured in 5 wt % aqueous solution on a Brookfield LVT viscometer at 25°C, spindle 2, 60 rpm, are novel. They are made by heating a xanthan gum, S-194, or guar gum solution at 48° to 83°C in the presence of 0.05 to 0.25% EDTA, 0.01 to 0.1% ferrous sulfate, and 2-6% hydrogen peroxide. These gums are especially useful in preparing herbicidal compositions and form novel complexes with herbicidal bipyridinium salt by mixing under aqueous conditions and drying.

EP 0 219 281 A3



European Patent
Office

EUROPEAN SEARCH REPORT

0219281

Application number

EP 86 30 7658

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.4)
X	US-A-2 767 167 (J.W. OPIE et al.) * Example 2; claims *	1-3	C 08 B 37/00 A 01 N 25/12 // A 01 N 43/14 A 01 N 43/90

A	EP-A-2 206 049 (DIAMOND SHAMROCK) * Page 3, line 15; pages 5,6; claims *		

X	PATENT ABSTRACTS OF JAPAN, vol. 9, no. 28 (C-264)[1751], 6th February 1985; & JP-A-59 175 436 (SHIYOUWA SANGYO K.K.) 04-10-1984 * Whole abstract *	1-3	

A	US-A-3 594 151 (B.A. SPRAYBERRY) * Claims *		

A	DE-A-1 542 930 (KELCO)		

X	GB-A-1 395 502 (I.C.I.) * Page 3, lines 26-75; claims *	4-10	

The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 29-10-1987	Examiner LENSEN H.W.M.
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	